CABLE REELER QUOTATION CHECKLIST



PART 1 - CUSTOMER INFORMATION								
SALESMAN:		INSIDE SALES:						
INITIAL INQUIRY: (MM/DD/YYYY): EXPECTED ORDER: (MM/DD/YYYYY):		QUOTE REQUIRED: (MM/DD/	DESIRED	DESIRED DELIVERY: (MM/DD/YYYY):				
TYPE OF CUSTOMER: OEM DEALER END USER / N			MINE DIRECT DISCOUNT LEVEL:			EL:		
CUSTOMER CONTACT INFORMATION								
COMPANY:		ADDRESS:						
NAME:								
EMAIL:			FAX: PHONE:					
END USER INFORMATION (IF DIFFERENT FROM ABOVE)								
COMPANY:			ADDRESS:					
NAME:								
EMAIL:			FAX:		PHONE:			
SITE INFORMATION								
NAME:			COUNTRY:					
ELEVATION:		NOTES:						
TEMPERATURE: MAX: C	□ F MIN: □ C □	F						
PART 2 - CABLE INFORMATION (CABLE TO BE HANDLED)								
	МАХ		MIN					
DIAMETER:					INCH		MILLIMETER	
LENGTH:					INCH		METER	
WEIGHT:					POUND/FT		KILOGRAM/METER	
TOTAL WEIGHT:					POUND		KILOGRAM	
MIN. BEND RADIUS:					INCH		MILLIMETER	
MAKE:								
MODEL:								
OTHER INFORMATION								

Page 1 of 3 Continue on next page »

PART 3 - CABLE REELER INFORMATION							
IS CUSTOMER RUNNING EXISTING DRUMS/R ☐ YES ☐ NO	EELERS?	IF YES, MANUFACTURER:					
		SERIAL NUMBER:					
CABLE REELER SIZE: ☐ CR200 ☐ CR300I ☐ CR300II ☐ CR600 ☐ CR1000							
LAYOUT BOOM: YES NO		DRUM: ☐ ROUND ☐ OCTAGONAL (STD)					
COUPLER STORAGE: ☐ YES (STD) ☐ NO ☐ OTHER							
CONTROLS							
□ PROPORTIONAL WIRED □ CUSTOMER SUPPLIED							
OTHER:							
PART 4 - MACHINE INFORMATION							
MACHINE TYPE: WHEEL LOADER (WL) WHEEL DOZER (WD) OTHER:							
MACHINE MODEL # / SERIES:			SERIAL #:				
MACHINE INFORMATION							
□ NEW □ USED	IF USED, WHAT HOURS ON MACHINE:		MACHINE TIRE SIZE:				
OTHER MACHINE INFORMATION/CONFIGURATION:							
COUNTERWEIGHT: ☐ NO ☐ YES, WEIGHT: ☐ L		BS/ 🗖 KG	OTHER:				
MOUNTING INFORMATION (CHOOSE ONE COLUMN)							
WHEEL LOADER	WHEEL DOZ	ER	OTHER				
QUICK COUPLER MAKE OF COUPLER:	☐ BLADE MOUNT MAKE OF BLADE:						
FACTORY PIN-ON BOOM TYPE:	D PUSH FRAME MOUNT MAKE OF PUSH FRAME:						
☐ OTHER:	☐ OTHER:						

Page 2 of 3 Continue on next page »

MACHINE HYDRAULICS								
3RD VALVE INSTALLED: □ YES □ NO HARD LINES TO BOOM INSTALLED: □ YES □ NO								
CUSTOMER WILL HAVE JUMP HOSES TO CR AVAILABLE: YES NO								
IF ALL YES TO THE ABOVE QUESTIONS:	IF NO TO ANY OF THE ABOVE QUESTIONS:							
3RD VALVE PRESSURE:	WHO WILL SUPPLY HYDRAULIC SOURCE: CUSTOMER ARRANGED TO SUIT OUR CR NEEDS							
3RD VALVE FLOW:	□ WBM							
PRIORITY VALVE NEEDED? ☐ YES ☐ NO	PRIORITY VALVE NEEDED?							
3RD VALVE TYPE: □ HYDRAULIC (PILOT) □ ELECTRONIC (EG. PWM) □ ELECTROHYDRAULIC (COMBINATION/SOLENOID OVER PILOT) □ OTHER								
MAXIMUM MACHINE HYDRAULIC PRESSURE:								
MAXIMUM MACHINE HYDRAULIC FLOW RATE:								
OTHER INFORMATION:								
ADDITIONAL MACHINE HYDRAULIC INFORMATION:								
PART 5 - ADDITIONAL INFORMATION								
BILL TO ADDRESS:								
BILLING TERMS: NET 30- EXISTING ACCOUNT WITH APPLICABLE CREDIT NEW ACCOUNT:% DEPOSIT + BALANCE BEFORE SHIPPING								
SPECIAL BILLING TERMS REQUEST:								
DESIRED DELIVERY METHOD: ☐ TRUCK ☐ SEA ☐ AIR								
SHIPPING INFORMATION								
STANDARD SHIPPING TERMS (BASED ON INCOTERMS 2010): EXW LOCATION:	☐ CIF ☐ OTHER							
FINAL 'SHIP TO' ADDRESS:								
COLOR: FLAT BLACK OTHER (EXTRA COST) – SPECIFY COLOR:								
PACKAGING: □ NONE □ SKID □ SKID AND SHRINK WRAP								
ADDITIONAL INFORMATION:								
SAFETY/REQUIREMENTS/RESTRICTIONS:								
ANY OTHER SPECIAL REQUESTS OR PROBLEMS TO BE RESOLVED:								
ANY OTHER PRODUCTS REQUIRED:								
TRAINING AND COMMISSIONING: TRAINING ON-SITE COMMISSIONING IN-HOUSE COMMISSIONING LOCATION:								